

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(virtual\$5 logical\$5) adj1 (representation\$5 icon\$2) near5 (print\$5 adj2 (facilit\$5 provider\$5 shop\$5 vendor\$5 floor\$5 environment\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/16 18:52
		(partition\$5 divid\$5 allocat\$5 group\$2) adj4 (print\$5 adj2 (shop\$5 facilit\$5) with (group\$5 section\$5 cell\$2 area\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 17:04
L1	2	jp-11296333-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 19:34
S1	2	("20020129081").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 15:11
S2	2	("5,918,988").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 15:15
S3	2	("6,474,881").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 15:12
S4	23	(sudhendu near4 rai).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:17
S5	1	(partition\$5 near4 print\$5 adj2 shop\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:19
S6	9	(partition\$5 with print\$5 adj2 shop\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:19

S7	26	(print\$5 adj2 shop\$2) with (virtual\$5 cell\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:25
S8	2	ep-820004-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:26
S9	3	("6665081").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 15:29
S10	2	("6,574,521").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 15:29
S11	15	("6321133").URPN.	USPAT	OR	ON	2005/11/15 15:30
S12	51	("3581072" "3703006" "3703725" "3905045" "3930251" "3988570" "4007362" "4017831" "4231096" "4400783" "4433426" "4449186" "4468750" "4475156" "4484522" "4495582" "4578768" "4584648" "4601003" "4648023" "4796194" "4839829" "5016170" "5053970" "5212791" "5229948" "5233533" "5278750" "5287194" "5291394" "5291397" "5369570" "5406476" "5432887" "5463555" "5504568" "5557367" "5574640" "5592602" "5630070" "5729790" "5734837" "5748899" "5754857" "5757669" "5765139" "5768506" "5778364" "5794207" "T918004").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/15 15:34
S13	1648	print\$5 adj2 shop\$5	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/15 15:34
S14	4	print\$5 adj2 shop\$5 near2 cell\$1	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/15 15:36

S15	2664	print\$5 near2 cell\$1	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/15 15:36
S16	4	virtual\$5 near4 print\$5 adj2 shop\$2	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/15 15:37
S17	5	cell\$5 near4 print\$5 adj2 shop\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:37
S18	2	S17 not S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:39
S19	0	print\$5 adj2 vendor\$5 near4 cell\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:39
S20	1	(partition\$5 divid\$5) adj2 print\$5 adj2 shop\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 19:10
S21	2	("6509974").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 15:45
S22	4	((("5978560") or ("6650431"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 15:45
S23	4	(partition\$5 divid\$5) near4 print\$5 adj2 shop\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 19:13
S24	189	(divid\$5 partition\$5) adj2 (resource\$5 equipment\$5) with (cell\$2 group\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 19:18

S25	106	S24 and @ad<"20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 11:00
S26	0	(divid\$5 partition\$5) adj2 (resource\$5 equipment\$5) with (cell\$2 group\$2) with print\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 10:20
S27	0	(divid\$5 partition\$5) adj2 (resource\$5 equipment\$5) with (cell\$2 group\$2) with print\$10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 19:18
S28	1	(divid\$5 partition\$5) adj2 (resource\$5 equipment\$5) with (cell\$2 group\$2) same print\$10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 19:19
S29	2	(divid\$5 partition\$5 allocat\$5) near4 (print\$5 adj2 shop\$2) same (cell\$2 group\$5 section\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 19:22
S30	2	(divid\$5 partition\$5 allocat\$5) near4 (print\$5 adj2 shop\$2) same (cell\$2 group\$5 section\$2 virtual\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 19:26
S31	2	("6,509,974").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 19:22
S32	6	(divid\$5 partition\$5 allocat\$5) near4 (print\$5 adj2 shop\$2) and (cell\$2 group\$5 section\$2 virtual\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 19:28
S33	1	(divid\$5 partition\$5 allocat\$5) near4 (print\$5 adj2 shop\$2) adj2 (resource\$5 equipment\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 19:28
S34	3	(divid\$5 partition\$5 allocat\$5) near4 (print\$5 adj2 shop\$2) near4 (resource\$5 equipment\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 10:13

S35	3	(divid\$5 partition\$5 allocat\$5) near4 (print\$5 adj2 shop\$2) with (resource\$5 equipment\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 19:29
S36	11	(divid\$5 partition\$5 allocat\$5) with (print\$5 adj2 shop\$2) with (resource\$5 equipment\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 19:32
S37	8	S36 not S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 19:29
S38	3	(divid\$5 partition\$5 allocat\$5) with (print\$5) with (resource\$5 equipment\$2) with cell\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 19:32
S39	3	(divid\$5 partition\$5 allocat\$5) with (print\$5) with (resource\$5 equipment\$2) with (representation\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 19:41
S40	0	(print\$5 adj2 shop\$2) with (virtual\$5 adj2 group\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 19:33
S41	3	(print\$5 adj2 shop\$2) with (virtual\$5 adj2 representation\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 19:35
S42	6	(print\$5 adj2 shop\$2) same (virtual\$5 adj2 representation\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 19:36
S43	3	S42 not S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 19:35
S44	0	(print\$5 adj2 resourc\$2) same (virtual\$5 adj2 representation\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 19:36

S45	0	(print\$5 adj2 (equipment\$2)) same (virtual\$5 adj2 representation\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 19:36
S46	0	(print\$5 adj2 (vendor\$5 provider\$5)) same (virtual\$5 adj2 representation\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 19:37
S47	189	print\$5 adj2 shop\$5 and cell	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 19:38
S48	1	(divid\$5 partition\$5 allocat\$5) adj2 (print\$5 adj2 shop\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 19:41
S49	32	(divid\$5 partition\$5 allocat\$5) with (print\$5 adj2 shop\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 19:47
S50	34	(print\$5 adj2 job\$5) with work adj2 flow\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 19:47
S51	12	S50 and @ad<"20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 19:48
S52	215	(divid\$5 partition\$5 allocat\$5) near4 (print\$5) near4 (resource\$5 equipment\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 10:13
S53	14	(divid\$5 partition\$5 allocat\$5) near4 (print\$5) near4 (resource\$5 equipment\$2) with (group\$2 section\$5 area\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 10:16
S54	1	WO-2005089239-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 10:17

S55	0	(virtual\$5 adj2 representation\$5) with (print\$5 adj2 (facilit\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 10:17
S56	0	(virtual\$5 adj2 cell\$2) with (print\$5 adj2 (facilit\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 10:17
S57	9	(cell\$2) with (print\$5 adj2 (facilit\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 10:17
S58	2	(divid\$5 partition\$5 allocat\$5) adj2 (print\$5 adj2 facilit\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 10:38
S59	3	(divid\$5 partition\$5 allocat\$5) adj2 (resource\$5) with (print\$5 adj2 (shop\$2 facilit\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 10:59
S60	0	(optimiz\$5) adj2 (resource\$5) with (print\$5 adj2 (shop\$2 facilit\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 10:40
S61	0	(optimiz\$5) adj2 (resource\$5 equipment\$5) with (print\$5 adj2 (shop\$2 facilit\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 10:41
S62	3	(print\$5 adj2 (shop\$2 facilit\$5)) adj2 (resourc\$5) with (partition\$5 allocat\$5 divid\$5 optimiz\$5 organiz\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 10:45
S63	25	(print\$5 adj2 (shop\$2 facilit\$5)) with (resourc\$5) with (partition\$5 allocat\$5 divid\$5 optimiz\$5 organiz\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 10:46
S64	22	S63 not S62	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 10:52

S65	2	("6631247").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 10:53
S66	2	("5270775").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 10:59
S67	181	(divid\$5 partition\$5 allocat\$5 optimiz\$5) adj2 (resource\$5) with print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 10:59
S68	0	(divid\$5 partition\$5 allocat\$5 optimiz\$5) adj2 (resource\$5 equipment\$5) with print\$5 with cell\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 11:00
S69	190	(divid\$5 partition\$5 allocat\$5 optimiz\$5) adj2 (resource\$5 equipment\$5) with print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 11:00
S70	100	S69 and @ad<"20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 14:46
S71	0	("6.728.947").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:27
S72	3	("6728947").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:29
S73	8	((("6,509,974") or ("6,650,431") or ("5,978,560") or ("6,293,714"))). PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:45
S74	3	("6805502").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:48

S75	0	(format\$5) adj2 (print\$5 adj2 facilit\$5) with cell\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 12:48
S76	0	(creat\$2) adj2 (print\$5 adj2 facilit\$5) with cell\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 12:48
S77	9	(print\$5 adj2 facilit\$5) with cell\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 12:50
S78	2	("6782119").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:50
S79	22	("3659353" "3994079" "4004131" "4275449" "4330951" "4527981" "4744034" "4806102" "4809342" "4970389" "4983817" "5067713" "5082365" "5291395" "5331140" "5395181" "5505620" "5601431" "5725253" "5808284" "5847971" "6094509").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/16 12:50
S80	0	("6782119").URPN.	USPAT	OR	ON	2005/11/16 13:05
S81	2	("6538762").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 14:01
S82	2	("6509974").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 14:02
S83	0	(partition\$5 separat\$5 divid\$5 allocat\$5) near4 (print\$5 adj2 (shop\$5 facilit\$5)) with (group\$2 shell\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 14:28
S84	0	(partition\$5 separat\$5 divid\$5 allocat\$5) near4 (print\$5 adj2 (shop\$5 facilit\$5)) with (virtual\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 14:28

S85	20	(partition\$5 separat\$5 divid\$5 allocat\$5) adj2 (print\$5 adj2 (shop\$5 facilit\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 14:45
S86	2	("6947987").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 14:34
S87	99	(print\$5 adj2 job\$5) with workflow\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 14:47
S88	73	(partition\$5 separat\$5 divid\$5 allocat\$5) with (print\$5 adj2 (shop\$5 facilit\$5)) with (resourc\$5 equipment\$5 printer\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 15:30
S89	40	S88 and @ad<"20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 16:55
S90	4	(print\$5 adj2 job\$5) same workflow\$2 same cell\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 14:48
S91	2	("5,918,988").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 14:51
S92	2	("6,474,881").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 14:52
S93	9	(print\$5 adj2 (shop\$5 facilit\$5)) adj2 layout\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 14:54
S94	0	(print\$5 adj2 (shop\$5 facilit\$5)) with virtual\$5 near2 layout\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 14:54

S95	3	(print\$5 adj2 (shop\$5 facilit\$5)) with virtual\$5 near2 representation\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 14:54
S96	25	(print\$5 adj2 job\$5) with required\$2 adj2 resource\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 15:16
S97	0	(allocat\$5) with print\$5 adj2 resourc\$5 with work adj2 flow\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 15:30
S98	0	(allocat\$5) with print\$5 with resourc\$5 with work adj2 flow\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 15:30
S99	344	(allocat\$5) with print\$5 with resourc\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 15:30
S10 0	1	(allocat\$5) adj2 print\$5 with resourc\$5 with group\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 15:34
S10 1	1824	(autonomous\$5 adj2 cell\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 15:32
S10 2	5	(autonomous\$5 adj2 cell\$2) with print\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 15:32
S10 3	1	(divid\$5) adj2 print\$5 with resourc\$5 with group\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 15:34
S10 4	0	(partition\$2) adj2 print\$5 with resourc\$5 with group\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 15:34

S10 5	2254	independent\$4 adj2 printer\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 15:39
S10 6	0	independent\$4 adj2 printer\$1 with cell\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 15:39
S10 7	1	independent\$4 adj2 printer\$1 with partition\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 16:43
S10 8	2	("6546364").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 16:54
S10 9	770	(partition\$5 divid\$5 allocat\$5 group\$2) adj4 (resource\$5 equipment\$5 printer\$2) with (cell\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 16:55
S11 0	18	(partition\$5 divid\$5 allocat\$5 group\$2) adj4 (resource\$5 equipment\$5 printer\$2) with (cell\$2) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 17:04
S11 1	9	S110 and @ad<"20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 17:18
S11 2	0	(group\$2) adj2 (print\$5 adj2 shop\$2) adj2 (resourc\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 17:00
S11 3	0	(group\$2) adj2 (print\$5 adj2 shop\$2) with (resourc\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 17:00
S11 4	3	(partition\$5 divid\$5 allocat\$5 group\$2) adj4 (print\$5 adj2 (shop\$5 facilit\$5) with (group\$5 section\$5 cell\$2 area\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 18:55

S11 5	4	(partition\$5 divid\$5 allocat\$5) with (print\$5 adj2 (shop\$5 facilit\$5) with (group\$5 section\$5 area\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 17:06
S11 6	0	(print\$5 adj2 (shop\$5 facilit\$5) with (virtual\$2 adj2 display\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 17:10
S11 7	5	("20010052995").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 13:36
S11 8	19	(work\$5 adj2 flow\$2) with print\$5 adj2 (shop\$2 facilit\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 17:17
S11 9	0	(work\$5 adj2 flow\$2) with (require\$5 adj2 resource\$2) with print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 17:17
S12 0	0	(work\$5 adj2 flow\$2) with (print\$5 adj2 (task\$5 resourc\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 17:18
S12 1	238	(work\$5 adj2 flow\$2) with (print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 17:18
S12 2	98	S121 and @ad<"20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 18:56
S12 3	23	RAI near4 SUDHENDU.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 17:28
S12 4	3	("6,728,947").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 17:28

S12 5	0	("6728947").URPN.	USPAT	OR	ON	2005/11/16 17:29
S12 6	43	("3736409" "4462075" "4495582" "4803634" "4839829" "4948109" "5091849" "5101474" "5132915" "5140537" "5155808" "5182705" "5233513" "5249120" "5301320" "5319543" "5410651" "5414837" "5467436" "5553281" "5561802" "5570291" "5625758" "5627764" "5630069" "5634127" "5649220" "5668993" "5687373" "5699523" "5701484" "5721943" "5734837" "5745687" "5745901" "5774661" "5826020" "5918226" "5960404" "5978836" "6041343" "6070253" "6073109").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/16 18:51
S12 7	2	(virtual\$5 logical\$5) adj1 (representation\$5 icon\$2) near5 (print\$5 adj2 (facilit\$5 provider\$5 shop\$5 vendor\$5 floor\$5 environment\$5))	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/16 18:52
S12 8	184	(partition\$5 divid\$5 allocat\$5 group\$2) adj4 (resource\$2) with (printer\$5 image\$5 adj2 form\$5 adj2 apparatus\$5 copy adj2 machine\$2 copier\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 18:56
S12 9	84	S128 and @ad<"20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 18:57
S13 0	3	("6707566").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 13:44
S13 1	2	("20020101604").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 13:44

S13 2	2	("6348971").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 13:47
S13 3	2	jp-2000318268-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 13:48
S13 4	2	jp-11194911-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 13:50
S13 5	2	("5287194").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 14:53
S13 6	2	("6348971").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 15:21
S13 7	2	("20020154337").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 19:34